

# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



U. S. DEPARTMENT OF AGRICULTURE,  
LIBRARY,  
—1902-1903—  
Washington, D. C.

↔ The Bellevue Nursery ↔

TRADE LIST OF

American Plants and Shrubs



ITEA VIRGINICA

COLLECTED AND GROWN BY

Wm. F. Bassett & Son,

Hammonton, New Jersey, U. S. A.



## Terms and Remarks.

---

**Our Terms** are net cash, and are for the quantities named, except that 5, 50 and 500 will be furnished at the ten, hundred, and thousand rates respectively. Parties not known by us to be responsible and reliable will be expected to send cash with order, or good references.

**Shipping Facilities.** Our nurseries are within thirty miles of Philadelphia (two railroads), and one hundred miles from New York, and freight rates very low.

**Mailing Plants.** Small orders will be filled by mail, when so requested, where the size of the plant will permit; but postage will be added to all bills so forwarded.

**Collected Plants.** This is our original specialty, and we collect plants in New Jersey, Pennsylvania, Delaware and Maryland, and we also have arrangements with special collectors in the New England and other states. This collecting is all done by skilled men, and the plants so collected are not to be compared with "cheap collected plants" *pulled up* by irresponsible parties at so much per thousand. We aim to get the very best, especially in those species that are difficult to transplant, and we send out only such as we could succeed with ourselves; but as we cannot control weather conditions or other circumstances where we send them, we cannot, of course, assume any responsibility farther than to ship them in good order.

**Transplanted Stock.** To meet the wants of an increasing list of customers, we have for several years been transplanting the best varieties of our native shrubs and hardy plants into our nursery grounds, and growing them under culture for one or more years.

**Packing,** which is done in a most thorough manner, is charged at cost. We use the best of sphagnum moss.

---

## To our European Friends.

---

We have a good list of European customers, and our system of packing is such that our shipments have arrived in perfect condition. We wish, however, to say to this class of customers that Fall orders are much more desirable, as the dormant condition of stock shipped at that season admits of closer packing, and consequently safer transit.

# Novelties and Specialties.

---

## **Amelanchier Rotundifolium**

We have found this so much superior to *Amelanchier Canadensis* in every respect, that we unhesitatingly recommend it. Its style of growth is more compact, the foliage is more dense, and of a richer, darker green, turning to rich shades of crimson and gold in Autumn; and the strain we offer produces, in great abundance, berries which are much larger, less seedy, and of better flavor than any other June Berry. For cooking, when used with pie cherries, equal quantities of each, they make better pies and puddings than cherries alone.

## **Pyrus Brilliantissima**

It is not necessary to say to those who are familiar with the common *Pyrus arbutifolia*, that the fruit varies in color from red to almost black, and that the greater portion, even of those which are light red when first ripening, turn quite dark and dull later in the season. Our *Brilliantissima* has been propagated from a few plants we found, which produced bright scarlet berries and retain their bright color until late in the Winter. This is so decidedly superior to the ordinary form that the little difference in first cost is not worth considering. Our stock of this is unusually fine.

## **Hibiscus Crimson Eye**

This, the finest of all the hardy *Hibiscus*, was introduced by us and has been steadily gaining in popularity, and our sales of it increase largely every year. We also introduced the *Rose Pink Hibiscus*, and we are among the very few who offer *Hibiscus Militaris*, both fine varieties.

## **Hardy Perennials**

Special attention is called to our large and varied stock of Hardy Perennials. Our stock includes the very best standard varieties, and many of the newer sorts. On large orders, one thousand or more, we can quote special prices.

## **Plants not in this List**

There are many native plants not included in this list, which we can collect if desired. We can collect nine varieties of *Eupatorium*, twenty varieties of *Aster*, eighteen varieties of *Solidago*, and many others.

## **Dahlias**

Our stock of Dahlias includes the best standard varieties and the cream of the newer sorts,—about two hundred varieties. *Dahlia* list mailed on application.

## **Seeds**

We collect American tree and shrub seeds **on orders only**. Prices quoted on application.

## **Large Plants**

We make a specialty of large plants, collected with ball of earth, in carload lots. In this list may be mentioned *Ilex glabra*, *Ilex opaca*, *Kalmia latifolia*, *Azalea viscosa*, *Vaccinium corymbosum*, *Viburnum cassinoides*, etc. These are unusually fine specimens of each variety, ranging in size from one to six feet, according to variety. **Special prices** on carload lots.

# HARDY PHLOX.

## A Select List of the Best Varieties.

We are propagating a large quantity of the best varieties of Hardy Phlox. They will be ready for delivery about March 1st,—strong plants from 2½ inch pots. We quote the following twenty-four varieties as the cream, and the very best that can be found anywhere. We can supply many other varieties if desired.

We have a large stock of Phlox, "The Pearl," in open ground, now ready for immediate shipment. This is the best *pure white* Phlox grown.

### Collection of Hardy Phlox

Spring delivery, from 2½ inch pots.

- Aquilan.* Pink, in variable shadings.
- Beranger.* White, suffused with pink, rosy lilac eye.
- Bridesmaid.* Pure white, with large crimson center.
- Champs Elysee.* Intensely rich purplish crimson.
- Bacchante.* Dark crimson, shading lighter at center.
- Eclairer.* Purplish crimson with light halo.
- Emblazement.* White, with purple eye.
- Etna.* Crimson-scarlet, with dark crimson eye.
- Eugene Danzenwillier.* Varying shades of lavender.
- Faust.* White, with large crimson eye.
- H. C. Wigers.* White, with deep crimson eye.
- Jocelyn.* Salmon scarlet.
- La Vague.* Pink, with dark eye.
- Michael Cervantes.* White, with brilliant scarlet-crimson eye.
- Pascha.* Pink.
- Robert Werner.* Tender rose, with dark eye.
- R. P. Struthers.* Salmon pink.
- Peachblow.* Delicate pink, with white markings, deep rose eye.
- Pantheon.* Deep salmon rose.
- Sunshine.* Bright salmon pink, with bright rose eye.
- Sylphide.* Irregularly striped with lavender, pink and white.
- Wm. Clibram.* White and blush, with dark eye.
- Zouave.* Purplish crimson, with red eye.

Price of all the above: 15 c. each; \$1 per 10; \$6 per 100

## GENERAL LIST OF Hardy Perennials.

	EACH	10	100	1000
Achillea filipendula . . . . .	\$0.15	\$0.50	\$	\$
" millefolium roseum . . . . .	10	.50	3.00	25.00
" The Pearl . . . . .	10	.40	2.50	20.00
" tomentosa . . . . .	15	.50	4.00	
Acorus calamus, collected . . . . .	10	.50	1.50	10.00
Adiantum pedatum . . . . .	15	.60	3.00	25.00
Aletris farinosa, collected . . . . .	10	.50	1.80	12.00
Alyssum saxatile . . . . .	10	.50	5.00	
Andropogon macrourus, collected . . . . .	10	.50	2.00	15.00
Anemone Pennsylvanica . . . . .	20	.75		
" " collected . . . . .			5.00	
" nemorosa, collected . . . . .	15	.60	3.00	
Anemone thalictroides, collected . . . . .	15	.60	3.00	
Anthemis Kelwayii . . . . .	20	1.00		
Apios tuberosa . . . . .	10	.30	1.00	8.00
Aquilegia Canadensis . . . . .	15	.75		
" " collected . . . . .		.50	2.50	20.00
" cœrulea hybrida . . . . .	25	.75	4.00	
Aralia hispida . . . . .	15	.75		
Arenaria squarrosa, collected . . . . .	20	.70	3.00	25.00
Arisaema Dracontium, collected . . . . .	20	.80	4.00	
" triphyllum, collected . . . . .	10	.50	2.00	15.00
Asarum Canadense . . . . .	15	.50	4.00	
Asclepias incarnata, collected . . . . .	10	.50	2.50	20.00
" " pulchra, collected . . . . .	10	.50	3.00	20.00
" obtusifolia, collected . . . . .	20	.80		
" tuberosa, collected . . . . .	20	1.00	6.00	40.00
Aspidium acrostichoides . . . . .	10	.50	2.00	10.00
" aculeatum var. Braunii, collected . . . . .	30	1.25		
" cristatum, collected . . . . .	20	.70	4.00	
" goldianum . . . . .	25	1.25		
" marginale, collected . . . . .	10	.50	2.00	10.00
" novaboracensis, collected . . . . .	10	.50	2.00	10.00
" spinulosum, collected . . . . .	15	.75	3.00	25.00
" thelypteris, collected . . . . .	10	.50	2.00	10.00
Asplenium ebeneum, collected . . . . .	10	.50	2.00	15.00
" trichomanes, collected . . . . .	15	.60	3.00	
Aster concolor, collected . . . . .	15	.75	5.00	
" linariifolius, collected . . . . .	10	.50	1.50	12.00
" longifolius, collected . . . . .	15	.75		

All plants in this list are nursery-grown unless otherwise specified.

	EACH	10	100	1000
Aster nemoralis, collected . . . . .	20	.80	5.00	
“ Nova Anglae . . . . .	15	.60	3.50	
“ patens, collected . . . . .	10	.50	2.00	15.00
“ puniceus . . . . .	20	.75		
“ spectabilis, collected . . . . .	10	.50	2.50	20.00
“ tradescantii, collected . . . . .	10	.40	2.50	20.00
“ Tartaricus . . . . .	15	.75	3.00	
Baptisia tinctoria, collected . . . . .	25	1.00	3.00	
Boltonia asteroides . . . . .	15	.75	4.00	
“ glastifolia . . . . .	25	1.00		
“ latisquamae . . . . .	15	.75	3.50	
Botrychium Virginicum, collected . . . . .	20	.60	4.00	
Brasenia peltata, collected . . . . .	10	.50	2.00	15.00
Breweria Pickeringii, collected . . . . .	25	1.00	6.00	
Calamagrostis brevipilis, collected . . . . .	25	1.00	5.00	
“ Nuttaliana, collected . . . . .	25	1.00	6.00	
Calla palustris, collected . . . . .	15	.75	4.00	
Callirhoe involucrata . . . . .	15	.60	4.00	
Calopogon pulchellus, collected . . . . .	15	.60	4.00	
Caltha palustris, collected . . . . .	15	.60	3.00	25.00
Campanula carpatica . . . . .	15	.75		
Camptosorus rhizophyllus, collected . . . . .	15	.50	2.50	
Cassia Marylandica . . . . .	15	.60	3.00	
Centrosema Virginica (root cuttings) . . . . .		.25	.80	7.50
“ “ White Lady (root cuttings)		.50	1.50	10.00
Chelone glabra, collected . . . . .	10	.50	3.00	
Chimaphila maculata, collected . . . . .	15	.60	3.00	
“ umbellata, collected . . . . .	15	.75	4.00	
Chrysopsis falcata, collected . . . . .	20	.50	3.00	10.00
“ Mariana, collected . . . . .	10	.50	2.50	15.00
Cimicifuga racemosa, collected . . . . .	15	.60	3.00	20.00
Claytonia Virginica, collected . . . . .	15	.60	2.00	
Clintonia borealis, collected . . . . .	15	.60	3.00	
Coreopsis auriculata . . . . .	10	.50	1.50	
“ grandiflora (Harvest Moon) . . . . .	15	.75	4.00	
“ lanceolata . . . . .	10	.50	2.00	15.00
“ rosea . . . . .	15	.75		
Coronilla varia . . . . .	10	.60	4.00	
Cunilla Mariana, collected . . . . .	20	.60	3.00	
Cypripedium acaule, collected . . . . .	15	.75	4.00	
Delphinium formosum . . . . .	15	1.00		
“ Chinese, white . . . . .	10	.60		
Dentaria laciniata, collected . . . . .	15	.60	3.00	
Dicentra Canadensis, collected . . . . .	15	.75	2.50	15.00
“ cucullaria, collected . . . . .	15	.60	2.00	15.00
Dicksonia pilosiuscula . . . . .	15	.60	2.00	10.00
Digitalis gloxinoides . . . . .	15	.75		
Dianthus barbatus . . . . .	10	.60	4.00	

All plants in this list are nursery-grown unless otherwise specified.

	EACH	10	100	1000
<i>Dianthus barbatus</i> , fl. pl. . . . .	10	.60	4.00	
<i>Dioscorea villosa</i> , collected . . . . .	25	1.50		
<i>Dracocephalum Virginicum</i> . . . . .	10	.50	2.00	
<i>Drosera filiformis</i> , collected . . . . .	15	.60	1.50	10.00
“ <i>intermedia</i> . . . . .	15	.60	3.00	
<i>Elodes Virginica</i> , collected . . . . .	15	.60	3.00	15.00
<i>Epilobium augustifolium</i> , collected . . . . .	15	.75		
<i>Erianthus alopecuroides</i> , collected . . . . .	15	.60	3.00	25.00
<i>Eriocaulon gnaphalodes</i> , collected . . . . .	15	.60	1.50	
“ <i>decangulare</i> , collected . . . . .	15	.60	2.00	
<i>Eriophorum Virginicum</i> , collected . . . . .	15	.75	5.00	
<i>Eryngium amethystinum</i> . . . . .	25	1.00		
“ <i>planum</i> . . . . .	25	1.00		
“ <i>Virginicum</i> . . . . .	15	.75	3.00	25.00
<i>Erythronium Americanum</i> , collected . . . . .	15	.60	2.50	
<i>Eulalia gracillima</i> . . . . .	10	.50	2.00	18.00
“ <i>Japonica zebrina</i> . . . . .	15	.60	2.50	18.00
<i>Eupatorium ageratoides</i> . . . . .	15	.75	4.00	
“ “ collected . . . . .	15	.60	3.00	20.00
“ <i>aromaticum</i> , collected . . . . .	20	.75	4.00	
“ <i>celestinum</i> . . . . .	20	1.00	5.00	
“ <i>purpureum</i> , collected . . . . .	15	.60	3.00	20.00
<i>Euphorbia corollata</i> . . . . .	15	.50	3.00	20.00
“ <i>ipecacuanhæ</i> , collected . . . . .	10	.50	2.00	15.00
<i>Funkia lancifolia</i> . . . . .	15	.60	3.00	
“ <i>subcordata</i> . . . . .	25	1.00		
“ <i>Sieboldii</i> . . . . .	25	2.00		
“ <i>Thos. Hogg</i> . . . . .	25	1.25	8.00	
<i>Gaillardia grandiflora</i> . . . . .	20	1.00	5.00	
“ <i>compacta</i> . . . . .	25	1.00	6.00	
<i>Galactea glabella</i> . . . . .	20	.80	5.00	
<i>Gentiana Andrewsii</i> , collected . . . . .	25	1.25	6.00	
“ <i>augustifolia</i> , collected . . . . .	25	1.50		
“ <i>saponaria</i> , collected . . . . .	25	1.00	6.00	
<i>Geranium maculatum</i> , collected . . . . .	15	.60	2.50	
“ <i>sanguineum</i> . . . . .	15	.80	5.00	
<i>Gerardia flava</i> , collected . . . . .	20	.75	4.00	
“ <i>quercifolia</i> , collected . . . . .	25	2.50		
<i>Gillenia trifoliata</i> , collected . . . . .	25	1.00		
<i>Goodyera pubescens</i> . . . . .	30	1.00		
<i>Griatiola aurea</i> , collected . . . . .	15	.60	3.00	
<i>Gypsophyla repens</i> . . . . .	25	1.50		
<i>Habenaria blephariglottis</i> , collected . . . . .	15	.70	5.00	
“ <i>ciliaris</i> , collected . . . . .	15	.75	5.00	
<i>Helenium autumnale</i> , collected . . . . .	15	.60	2.00	15.00
“ “ <i>superba</i> . . . . .	15	.60	3.50	30.00

All plants in this list are nursery-grown unless otherwise specified.

	EACH	10	100	1000
Helenium Boulanderi . . . . .	25	1.00		
“ grandicephalum striatum . . . . .	15	.60	4.00	35.00
Helianthus angustifolius, col . . . . .	15	.60	3.00	20.00
“ decapetalus . . . . .	20	.75		
“ divaricatus, col . . . . .	15	.60	2.00	15.00
“ giganteus . . . . .	15	.60	3.00	
“ lætiflorus . . . . .	10	.50	2.00	10.00
“ Maximillianii . . . . .	20	.80	5.00	
“ mollis . . . . .	20	.75		
“ orgyalis . . . . .	10	.50	3.50	25.00
“ strumosus . . . . .	10	.50	3.00	
Heliopsis Pitcheriana . . . . .	25	1.00	5.00	
“ scabra . . . . .	20	1.00		
Helonias bullata, col . . . . .	20	.85	4.00	30.00
Hemerocallis Dumortieri . . . . .	15	.60	4.00	35.00
“ flava . . . . .	20	.75	4.00	
“ fulva . . . . .	10	.60	2.00	15.00
“ Kwanso plena . . . . .	25			
“ “ “ var . . . . .	25	1.25		
“ Thunbergii . . . . .	20	.75	5.00	
Hepatica acutiloba, col . . . . .	15	.60	3.00	20.00
“ triloba, col . . . . .	15	.60	3.00	20.00
Heuchera Americana . . . . .	15	.75	4.00	
“ “ col . . . . .	15	.50	2.00	15.00
Hibiscus moscheutos . . . . .	15	.60	3.00	20.00
“ “ Crimson Eye . . . . .	15	.60	2.50	18.00
“ “ Rose Pink . . . . .	15	.60	3.00	20.00
“ militaris . . . . .	15	.75	4.00	
Houstonia cœrulea, col . . . . .	15	.50	3.00	
Hymenocallis Galvestonensis (Hardy Spider Lily)	25	1.00	6.00	
Hypericum angulosum, col . . . . .	15	.60	3.00	
“ ascyron . . . . .	25			
Iberis sempervirens . . . . .	20	1.00	5.00	
“ “ superba . . . . .	25	1.50	8.00	
Ipomea pandurata, col . . . . .	25	1.00	6.00	
Iris Germanica in special colors . . . . .	15	1.00	4.00	
“ prismatica, col . . . . .	15	.60	2.00	15.00
“ pumila . . . . .	15	.60	2.50	
“ pseudacorus . . . . .	10	.50		
“ Kämpferii . . . . .	15	.60	4.00	
“ Siberica . . . . .	15	1.00	5.00	
“ “ alba . . . . .	25	1.00		
“ versicolor, col . . . . .	15	.60	1.50	12.00
Kosteletzkia Virginica (1 year) . . . . .	15	.75	5.00	
“ “ (2 year) . . . . .	25	1.00		
Lacnanthes tinctoria . . . . .	10	.50	2.00	15.00
Lavendula spica . . . . .	15	1.00		
Liatris graminifolia, col . . . . .	10	.50	2.00	15.00
“ punctata . . . . .	20	.75		

All plants in this list are nursery-grown unless otherwise specified.

	EACH	10	100	1000
<i>Liatris pycnostachia</i> . . . . .	25	1.25	4.00	30.00
“ <i>scariosa</i> . . . . .	20	.75		
“ <i>spicata</i> . . . . .	20	.75	2.50	
<i>Lilium Philadelphicum</i> , col . . . . .	25	.80		
“ <i>superbum</i> . . . . .	20	.75	4.00	
“ <i>Canadense flavum</i> . . . . .	20	.75		
“ “ <i>rubrum</i> . . . . .	20	.75		
<i>Liparis liliifolia</i> . . . . .	25	1.25	8.00	
<i>Lobelia cardinalis</i> , col . . . . .	20	.60	3.00	20.00
“ <i>syphilitica</i> , col . . . . .	25	.80	4.00	
<i>Lophiola aurea</i> , col . . . . .	25	.60	3.00	25.00
<i>Lupinus perennis</i> . . . . .	15	.60	4.00	
<i>Lychnis chalcedonica</i> . . . . .	15	.60		
<i>Lysimachia ciliata</i> . . . . .	15	.60	3.00	
“ <i>clethroides</i> . . . . .	15	.60	4.00	
“ <i>nummularia</i> . . . . .	15	.60	2.00	
“ <i>punctata</i> . . . . .	15	.60	3.00	
“ <i>quadrifolia</i> , col . . . . .	15	.60	2.50	
<i>Lysimachia stricta</i> . . . . .	15	.60	2.00	
<i>Lythrum salicaria superba</i> . . . . .	15	.80	4.50	40.00
<i>Malva moschata</i> . . . . .	15	.75		
<i>Mertensia Virginica</i> , col . . . . .	20	.75	3.50	25.00
<i>Mikania scandens</i> , col . . . . .	25	1.00	5.00	
<i>Mitchella repens</i> , col . . . . .	10	.50	1.50	12.00
<i>Monarda didyma coccinea</i> . . . . .	15	1.00	5.00	
“ <i>purpurea</i> . . . . .	15	1.00	5.00	
<i>Narthecium Americanum</i> , col . . . . .	30	1.50	5.00	
<i>Nepeta glechoma</i> . . . . .	10	.50	2.00	
<i>Nesæa verticillata</i> , col . . . . .	25	1.00	5.00	
<i>Nuphar advena</i> , col . . . . .	25	1.00	6.00	
<i>Nymphæa odorata</i> , col . . . . .	25	.75	3.00	
“ “ <i>minor</i> , col . . . . .	25	.75	3.00	
<i>Oenothera fruticosa</i> , col . . . . .	15	.60	2.00	18.00
“ <i>Youngii</i> . . . . .	15	.75		
<i>Onoclea sensibilis</i> , col . . . . .	15	.50	2.00	10.00
“ <i>struthiopteris</i> , col . . . . .	15	.70	4.00	
<i>Opuntia Raffinesquii</i> . . . . .	15	.60	2.00	15.00
<i>Orontium Aquaticum</i> , col . . . . .	20	.90	6.00	45.00
<i>Osmunda cinnamomea</i> , col . . . . .	20	1.00	6.00	35.00
“ <i>Claytoniana</i> , col . . . . .	20	.85	4.00	35.00
“ <i>gracilis</i> , col . . . . .	25	1.00	6.00	40.00
“ <i>regalis</i> , col . . . . .	20	1.00	6.00	40.00
<i>Oxalis violacea</i> , col . . . . .	15	.60	3.00	
<i>Pancreatium Carriboemn</i> . . . . .	25	1.00	6.00	
<i>Panicum virgatum</i> , col . . . . .	15	.60	2.00	15.00
<i>Pardanthus Chinensis</i> . . . . .	10	.50	2.00	15.00
<i>Pentstemon barbatus Torreyi</i> . . . . .	20	.75	4.50	
“ <i>grandiflorus</i> . . . . .	20	1.00	8.00	
“ <i>digitalis</i> . . . . .	20	1.00	5.00	

All plants in this list are nursery-grown unless otherwise specified.

	EACH	10	100	1000
<i>Pentstemon pubescens</i> . . . . .	15	.60	2.50	20.00
<i>Peltandra Virginica</i> , col . . . . .	30	1.50	8.00	60.00
<i>Phegopteris dryopteris</i> . . . . .	15	.60		
“ <i>hexagonoptera</i> . . . . .	15	.60	3.00	
“ <i>polypodioides</i> . . . . .	15	.60		
<i>Phlox divaricata</i> , col . . . . .	20	.75	3.00	25.00
“ <i>maculata</i> , col . . . . .	20	.75	3.50	
“ <i>subulata</i> . . . . .	15	.60	2.50	
“ “ <i>alba</i> . . . . .	15	.60	2.50	
“ <i>The Pearl</i> . . . . .	25			
<i>Plumbago larpentæ</i> . . . . .	15	.60	4.00	
<i>Platycodon grandiflorum</i> . . . . .	25	.60	5.00	
“ “ <i>album</i> . . . . .	25	.60	5.00	
<i>Podophyllum peltatum</i> , col . . . . .	15	.60	2.00	15.00
<i>Pogonia ophioglossoides</i> , col . . . . .	20	.75	3.00	
<i>Polypodium vulgare</i> . . . . .	15	.60	2.00	10.00
<i>Pontederia cordata</i> , col . . . . .	20	.75	4.00	30.00
<i>Pteris aquilina</i> , col . . . . .	15	.50	2.00	10.00
<i>Pycnanthemum linifolium</i> . . . . .	10	.50		
<i>Pyrola chlorantha</i> , col . . . . .	15	.60	2.00	
“ <i>eliptica</i> , col . . . . .	15	.60	2.00	
“ <i>rotundifolia</i> , col . . . . .	15	.60	2.00	
<i>Pyxidantha barbulate</i> , col . . . . .	20	.75	3.00	25.00
<i>Rudbeckia fulgida</i> . . . . .	20	.80	4.00	
“ <i>hirta</i> , col . . . . .	15	.60	2.50	20.00
“ <i>laciniata</i> . . . . .	15	.60	3.00	25.00
“ “ <i>fl. pl. (Golden Glow)</i> . . . . .	10	.50	3.50	20.00
“ <i>nitida</i> . . . . .	15	.60	3.00	
“ <i>speciosa</i> . . . . .	15	.80	5.00	
<i>Sabbatia chloroides</i> , col . . . . .	25	.75	4.00	35.00
“ <i>lanceolata</i> , col . . . . .	15	.60	3.00	25.00
<i>Salvia lyrata</i> . . . . .	10	.50	2.00	15.00
“ <i>azurea gradiflora</i> . . . . .	25	1.00		
<i>Sanguinaria Canadensis</i> . . . . .	15	.60	2.00	18.00
<i>Sarracenia purpurea</i> , col . . . . .	25	.75	3.00	25.00
<i>Sclerolepis verticillata</i> , col . . . . .	20	.75	4.00	
<i>Scirpus Eriophorum</i> , col . . . . .	15	.60	3.00	
<i>Sedum acre</i> . . . . .	10	.50	3.00	20.00
“ <i>spectabile</i> . . . . .	15	1.00	5.00	
“ <i>ternatum</i> . . . . .	15	.60	2.00	15.00
<i>Silene Pennsylvanica</i> . . . . .	20	.75	5.00	
“ <i>stellata</i> . . . . .	15	.60	3.00	
<i>Schizæa Pusilla</i> . . . . .	50	2.00		
<i>Smilacina bifolia</i> , col . . . . .	20	.75	3.00	25.00
“ <i>racemosa</i> , col . . . . .	20	.75	3.00	25.00
<i>Solidago altissimum</i> , col . . . . .	15	.60	2.50	
“ <i>cæsia</i> , col . . . . .	15	.50		
“ <i>Canadensis</i> , col . . . . .	15	.60	2.50	
“ <i>juncea</i> , col . . . . .	15	.50		

All plants in this list are nursery-grown unless otherwise specified.

	EACH	10	100	1000
<i>Solidago lanceolata</i> , col . . . . .	10	.50	2.00	15.00
“ <i>nemoralis</i> , col . . . . .	15	.60	2.00	15.00
“ <i>odora</i> , col . . . . .	10	.50	2.00	15.00
“ <i>puberula</i> , col . . . . .	15	.60	2.50	
“ <i>sempervirens</i> . . . . .	10	.60	2.50	20.00
“ <i>tenuifolia</i> , col . . . . .	10	.50	2.00	15.00
“ <i>virgata</i> , col . . . . .	20	.75	3.00	25.00
<i>Statice latifolia</i> . . . . .	25	1.00		
<i>Tephrosia Virginica</i> , col . . . . .	15	.60	2.00	18.00
<i>Thalictrum cornuti</i> , col . . . . .	20	.75	3.00	25.00
“ <i>dioicum</i> , col . . . . .	20	.75	3.50	30.00
<i>Tradescantia Virginica</i> . . . . .	15	.60	2.50	20.00
“ “ <i>alba</i> . . . . .	20	.75	3.50	
“ “ <i>fl. pl.</i> . . . . .	25	1.00		
<i>Trillium erectum</i> , col . . . . .	15	.60	3.00	
“ “ <i>album</i> , col . . . . .	20	.75	4.00	
“ <i>grandiflorum</i> . . . . .	15	.50	2.50	15.00
“ “ <i>roseum</i> . . . . .	20	.75	5.00	
<i>Tritoma uvarta</i> . . . . .	25	1.25		
“ <i>Pfitzerii</i> . . . . .	25	1.25		
<i>Thymus vulgaris</i> . . . . .	10	.60	4.00	
<i>Typha angustifolia</i> , col . . . . .	15	.60	2.00	15.00
“ <i>latifolia</i> , col . . . . .	15	.60	2.00	15.00
<i>Vernonia hybrida</i> . . . . .	15	1.25		
“ <i>novaboracensis</i> , col . . . . .	20	.80	4.00	35.00
<i>Veronica Circæoides</i> . . . . .	15	.75	3.00	
“ <i>officinalis</i> . . . . .	15	.50	2.00	18.00
“ <i>longifolia subsessilis</i> . . . . .	25	1.00		
<i>Viola cucullata</i> . . . . .	10	.50	1.50	10.00
“ <i>pedata</i> , col . . . . .	15	.50	2.50	20.00
“ “ <i>bicolor</i> . . . . .	25	1.00	7.50	
“ <i>primulæfolia</i> , col . . . . .	20	.75	2.50	
“ <i>Piuk Gem</i> . . . . .	25			
<i>Water Hyacinth</i> . . . . .	15	.50	3.00	
<i>Woodwardia angustifolia</i> , col . . . . .	15	.60	2.50	20.00
“ <i>Virginica</i> , col . . . . .	15	.60	2.00	15.00
<i>Xerophyllum asphodeloides</i> , col . . . . .	15	.60	2.00	15.00
“ “ <i>in strong clumps</i> , col . . . . .	25	1.50		
<i>Yucca filolamentosa</i> . . . . .	20	.70	3.50	30.00
“ “ <i>(heavy plants)</i> . . . . .	25	1.50	7.00	
“ “ <i>(seedlings 1 yr. tr)</i> . . . . .	10	.40	1.50	10.00

All plants in this list are nursery-grown unless otherwise specified.

## Trees, Shrubs, and Woody Climbers

	EACH	10	100	1000
Acer Platanoides, 6 to 12 ft . . . . .	30	2.50		
“ “ 3 to 6 ft . . . . .	20	\$1.50	\$10.00	
“ “ 1 to 3 ft . . . . .	10	.50	2.50	
“ “ seedlings, 4 to 6 in . . . . .		.25	1.00	
“ Pennsylvanicum, 1 to 2 ft . . . . .	20	1.00	6.00	
“ rubrum, 4 to 8 ft . . . . .	25	1.25		
“ “ 4 to 5 ft, col . . . . .	20	.80	4.00	
“ “ 3 to 4 ft, col . . . . .	20	.75	3.00	
“ “ 2 to 3 ft, col . . . . .	15	.50	2.50	\$15.00
“ saccharinum, 8 to 12 ft . . . . .	40	3.50		
“ “ 5 to 8 ft . . . . .	20	1.50	10.00	
“ spicatum, 2 to 3 ft . . . . .	25	1.25	6.00	
Akebia quinata, 2 years, heavy . . . . .	15	.50	2.50	
“ “ 1 year . . . . .	10	.40	2.00	
Amelanchier Botryapium, col . . . . .		.60	3.50	30.00
“ Canadensis, 3 to 4 ft, trans . . . . .	25	1.75		
“ “ 1 year, trans . . . . .	15	.60	3.50	
“ “ col . . . . .		.60	3.00	
“ “ rotundifolium, 1 to 2 ft, trans . . . . .	15	.75	5.00	
Amorpha fruticosa . . . . .	15	.60	2.00	
Ampelopsis quinquefolia, 2 years . . . . .	15	.60	3.00	
Andromeda arborea, 3 to 4 ft . . . . .	35	2.00	12.00	
“ “ 1 to 2 ft . . . . .	25	1.25	6.00	
“ calyculata, col . . . . .		.60	2.00	15.00
“ lingustrina, col . . . . .		.60	3.00	25.00
“ Mariana, 1 to 2 ft . . . . .	20	1.00	5.00	
“ “ 6 to 12 in . . . . .	15	.75	4.00	
“ “ col . . . . .		.75	3.50	25.00
“ polifolia, 2 years . . . . .	25	.75	4.00	
“ “ 1 year . . . . .	10	.50	3.00	
“ racemosa, 1 to 2 feet . . . . .	15	.75	6.00	
“ “ col . . . . .		.60	2.50	20.00
Arctostaphylos uva-ursi, col . . . . .		.60	2.00	15.00
Asimina triloba, col . . . . .	15	.60	3.50	30.00
Ascyrum Crux-Andræ, col . . . . .	15	.60	2.00	
“ stans, col . . . . .	15	.60	2.00	
Azalea arborescens, 2 to 3 feet . . . . .	40			
“ calendulacea, 1 to 2 feet . . . . .	35	2.00	18.00	
“ nudiflora, 2 to 3 feet . . . . .	50	4.00		
“ “ col . . . . .		.60	3.00	25.00
“ Vaseyi, 2 to 3 feet . . . . .	40			
“ viscosa, 1 to 2 feet . . . . .	15	.80	7.50	
“ “ 2 to 3 feet . . . . .	25	1.25	10.00	
“ “ col . . . . .		.60	3.00	25.00

All plants in this list are nursery-grown unless otherwise specified.

	EACH	10	100	1000
Azalea viscosa, 3 to 6 feet, with ball, col . . . . .	1.50	10.00		
This is an exceptionally fine, bushy lot, well budded, and can be furnished in carload lots at special prices.				
Baccharis halimifolia, 3 to 4 feet . . . . .	20	1.00	8.00	
“ “ col . . . . .	15	.75	4.00	30.00
Berberis Thunbergii, 10 to 12 in . . . . .	15	.75		
“ vulgaris, 10 to 12 in . . . . .	10	.40	2.00	
Betula lenta, 1 to 2 feet, trans . . . . .	10	.60	5.00	
“ “ 3 to 4 feet, trans . . . . .	25	1.25	10.00	
“ “ col . . . . .		.50	2.50	18.00
“ nigra, 5 to 6 feet, fine . . . . .	40	3.00	20.00	
“ “ 6 to 10 feet . . . . .	50	4.00	30.00	
“ “ col . . . . .		.60	3.00	20.00
“ populifolia, 15 to 20 feet . . . . .	40	3.00		
“ “ col . . . . .		.50	1.50	10.00
“ lutea, 5 to 10 feet, extra . . . . .	40	2.50		
“ papyracea . . . . .	40			
Calycanthus Floridus, 6 to 10 in . . . . .	10	.75	4.00	
Carpinus Americana, 4 to 6 feet . . . . .	25	1.50		
“ “ 3 to 4 feet . . . . .		.80	7.50	
“ “ 1 year, trans . . . . .		.75	5.00	
“ “ col . . . . .		.50	3.50	30.00
Castanea Americana, 3 to 6 feet . . . . .	25	1.50		
“ Jap., special strain, 5 to 8 feet . . . . .	40	3.00		
Ceanothus Americanus . . . . .				
“ “ collected . . . . .	10	.60	4.00	
Celastrus scandens . . . . .	10	.60	3.00	
“ “ col . . . . .		.50	2.00	15.00
Cephalanthus occidentalis, 2 to 3 feet . . . . .	15	.80	5.00	
“ “ 1 to 2 feet . . . . .	10	.50	3.00	
Cercis Canadensis, 3 to 4 feet . . . . .	25	1.00		
“ “ collected . . . . .		.60	4.00	30.00
Chionanthus Virginica, 3 to 5 feet . . . . .	40	2.00	10.00	75.00
“ “ 2 to 3 feet . . . . .	30	1.25	6.00	50.00
“ “ 1 to 2 feet . . . . .	15	.60	3.50	
Clematis Virginica . . . . .	15	.60	3.50	
“ “ collected . . . . .		.50	2.50	18.00
Clethra alnifolia, 2 to 3 feet . . . . .	15	.80	5.00	
“ “ 1 to 2 feet . . . . .	10	.50	3.00	25.00
“ “ collected . . . . .		.50	2.00	15.00
Comptonia asplenifolia, 12 to 15 in . . . . .	20	.75	6.00	
“ “ collected . . . . .		.50	1.50	10.00
Cornus alternifolia, col . . . . .		.50	3.00	25.00
“ Florida, 3 to 5 feet . . . . .	25	2.00	15.00	
“ “ 2 to 3 feet . . . . .	15	1.00	10.00	
“ “ collected . . . . .		.60	3.50	20.00
“ mas., 3 to 4 feet . . . . .	20	1.00	8.00	

All plants in this list are nursery-grown unless otherwise specified.

	EACH	10	100	1000
Cornus mas., 2 to 3 feet . . . . .	15	.90	5.00	
“ circinata, 2 to 3 feet . . . . .	25	1.50		
“ “ col . . . . .		.60	3.50	30.00
“ paniculata, 1 to 3 feet . . . . .	20	1.00		
“ “ col . . . . .		.60	3.00	25.00
“ sanguinea, 3 to 4 feet . . . . .	20	.75		
“ sericia, 3 to 4 feet . . . . .	20	.75		
“ “ 1 to 2 feet . . . . .		.50	4.00	
“ “ col . . . . .		.60	2.50	20.00
“ stolonifera, 1 to 2 feet . . . . .	15	.60	3.00	
Corylus Americana, 2 to 3 feet, fine . . . . .	25	1.25	10.00	
“ “ col . . . . .		.60	3.00	20.00
Crataegus parvifolia, 2 to 3 feet, heavy . . . . .	30	1.75		
“ “ col . . . . .		.60	4.00	35.00
“ crus-galli, 3 to 4 feet . . . . .	40	2.00		
Cupressus thyoides, col . . . . .		.50	1.50	8.00
Diervilla trifida, trans . . . . .	15	.60	4.00	
“ “ col . . . . .		.60	3.00	25.00
“ sessilifolia, 3 so 4 feet . . . . .	20	1.00		
Dimorphanthus Mandschuricus, 4 to 7 feet . . . . .	50	3.00		
Diospyros Virginica, col . . . . .	20	.75	4.00	
Dirca palustris, trans . . . . .	20	.75		
Epigea repens, col. seedlings, with ball . . . . .	25	1.00	6.00	
Euonymus Americanus, trans . . . . .	15	.60	3.50	
“ “ col . . . . .		.60	2.50	20.00
“ radicans, strong . . . . .	15	.60	3.50	
“ “ variegated . . . . .	15	.75		
“ Europæus, 3 to 4 feet . . . . .	20	1.00	4.00	
“ “ 2 to 3 feet . . . . .	15	.60	3.00	
Forsythia Fortunei, 3 to 5 feet . . . . .	15	.60	4.00	
Fraxinus Americanus, col . . . . .	20	.75	3.00	25.00
Gaultheria procumbens, col . . . . .	10	.40	1.50	10.00
Gaylussacia Dumosa . . . . .	15	.60	3.50	
“ “ col . . . . .		.60	2.50	20.00
“ frondosa . . . . .	15	.60	5.00	
“ “ col . . . . .		.50	3.00	25.00
“ resinosa, col . . . . .	15	.50	2.00	15.00
Gleditschia inermis, 10 to 20 feet . . . . .	75	5.00	40.00	
“ “ 6 to 10 feet . . . . .	50	3.00	20.00	
“ “ 3 to 6 feet . . . . .	15	1.00	8.00	
Halesia tetraptera, 4 to 6 feet . . . . .	25	1.25		
Hammamelis Virginica, 2 to 4 feet . . . . .	20	1.00		
“ “ 1 to 2 feet . . . . .	10	.50	4.00	
“ “ col . . . . .		.60	3.50	30.00
Hudsonia ericoides, col . . . . .	10	.50	2.00	15.00
“ tomentosa, col . . . . .		.60	3.00	20.00
Hydrangea arborescens, 2 to 3 feet . . . . .	15	.75	6.00	
“ “ col . . . . .		.60	3.00	25.00

All plants in this list are nursery-grown unless otherwise specified.

	EACH	10	100	1000
Hypericum densiflorum, col . . . . .	15	.60	1.50	10.00
Ilex glabra, 6 to 12 inch, col . . . . .	15	.60	3.00	20.00
“ 1 to 2 feet, with ball, col . . . . .	50	3.00	17.00	
“ 2 to 3 feet, with ball, col . . . . .	1.00	6.00	40.00	
Ilex Opaca, 2 to 4 feet, trans . . . . .	50	3.00	25.00	
“ trans., berry bearing . . . . .	\$1 to \$3			
“ col, seedlings . . . . .		.75	4.00	35.00
“ col, 1 to 2 feet, very bushy . . . . .		1.50	12.00	
Prices quoted on larger sizes on application.				
<i>We cut leaves from all Ilex opaca as soon as dug.</i>				
Ilex verticillata, 2 to 3 feet, berry bearing . . . . .	75	5.00	30.00	
“ col . . . . .		.85	4.00	30.00
Itea Virginica, 1 to 2 feet . . . . .	15	.50	3.00	
“ col . . . . .		.50	2.50	
Juniperus Virginiana, col . . . . .	15	.50	2.00	15.00
Kalmia angustifolia, col . . . . .		.60	2.00	15.00
“ glauca, 12 to 15 in . . . . .	25	1.00	6.00	
“ latifolia, 2 to 3 feet, trans., bushy . . . . .	50	3.00		
“ “ 6 to 12 inch, col . . . . .		.60	2.50	15.00
“ “ 2 feet, with ball, col . . . . .	40	2.50	20.00	
We have a fine lot of this grade of Kalmias growing on land which was burned over three years ago, which we can furnish by thousand or carload <i>at special prices.</i>				
Kolreuteria paniculata, 1 to 3 feet . . . . .	10	.50	3.00	25.00
Ledum latifolium, 8 to 12 inch, bushy . . . . .	30	1.50	8.00	
Ligustrum Ibotia . . . . .	20	.75		
Leiophyllum buxifolium, col . . . . .	15	.60	2.00	15.00
Leucothoe Catesbaei, 1 to 2 feet . . . . .	15	1.00	6.00	
“ “ 6 to 12 inch . . . . .	10	.60	4.00	
Lindera Benzoin, 12 to 18 inch . . . . .	20	.80	5.00	
“ “ col . . . . .		.60	3.00	25.00
Liquidambar styraciflua, 6 to 8 feet . . . . .	50	3.50		
“ “ 4 to 6 feet . . . . .	35	3.00	25.00	
“ “ 2 to 4 feet . . . . .	20	1.00	8.00	
“ “ col . . . . .		.60	2.00	15.00
Liriodendron tulipifera, 6 to 8 feet . . . . .	35	2.50	18.00	
“ “ 5 to 6 feet . . . . .	25	2.00	12.00	100.00
“ “ 4 to 5 feet . . . . .	15	1.25	10.00	75.00
Lonicera Brachypoda, col . . . . .	15	.60	3.00	25.00
“ fragrantissima, 2 to 3 feet . . . . .	15	.50		
“ Halleana, 2 years . . . . .	35	.75	3.50	25.00
Lyceum vulgare . . . . .	10	.50	2.50	
Magnolia glauca, 1 year, trans . . . . .	15	.75		
“ “ col . . . . .	15	.75	3.00	25.00
Menispermum Canadense, coll . . . . .	15	.60	2.50	20.00
Myrica cerifera, 1 to 2 feet, bushy . . . . .	30	1.00	6.00	
“ 1 year, trans., strong . . . . .		.75	5.00	
“ coll, seedlings . . . . .		.75	3.50	30.00

All plants in this list are nursery-grown unless otherwise specified.

	EACH	10	100	1000
Myrica gale, 1 to 2 feet, trans . . . . .	15	.80	6.00	
“ “ col . . . . .		.75	3.50	30.00
Nyssa, multiflora, trans . . . . .	15	1.00		
Ostrya Virginica, col . . . . .		.75	4.50	40.00
Phelodendron amurense, 4 to 6 feet . . . . .	20	1.25		
Photinia villosa, 4 to 6 feet . . . . .	30	2.50		
Platanus orientalis, 10 feet . . . . .	40	3.00		
“ “ 5 to 10 feet . . . . .	25	2.00	15.00	
“ “ 3 to 5 feet . . . . .	15	1.00	8.00	
Potentilla fruticosa, 1 to 2 feet . . . . .	15	.60	3.00	
Prunus maritima, col . . . . .	15	.60	3.00	20.00
“ pumila, 1½ to 3 feet . . . . .	30	1.25		
“ “ coll . . . . .	25	1.00	6.00	
“ serotina, coll . . . . .	15	.60	3.00	20.00
“ Virginiana, col . . . . .	15	.60	3.00	25.00
Pyrus arbutifolia, 2 to 3 feet . . . . .	15	.60	4.00	35.00
“ “ coll . . . . .		.60	2.00	18.00
“ “ var. Brilliantissima, 2 to 3 feet, bushy . . . . .	25	1.75	10.00	
“ “ var. Brilliantissima, 1 to 2 ft . . . . .	15	1.25	7.50	
“ melonocarpa, black-fruited . . . . .	15	.75	4.50	35.00
“ “ col . . . . .		.60	2.00	18.00
Rhododendron maximum, 2 years . . . . .	25	1.50	8.00	
“ “ coll, seedlings, 6 to 12 in . . . . .		.75	2.00	18.00
Rhus aromatica, 1 to 2 ft . . . . .	20	1.50		
“ copallina, 2 to 3 feet . . . . .	15	.80	4.00	
“ “ 1 to 2 feet . . . . .		.75	3.50	
“ “ coll . . . . .		.50	2.00	15.00
“ glabra, 2 to 3 feet . . . . .	15	1.00		
“ “ coll . . . . .		.75	3.00	
“ typhina, coll . . . . .	15	.60	2.50	20.00
Ribes Floridum . . . . .	10	.80	4.00	
Robinia hispida . . . . .	15	.50	3.00	25.00
Rosa blanda . . . . .	15	.75	5.00	
“ Carolina . . . . .	15	.60	3.00	
“ “ coll . . . . .		.60	2.00	18.00
“ lucida . . . . .	15	.60	4.00	
“ “ coll . . . . .		.50	2.50	20.00
“ nitida . . . . .	20	1.25	7.00	
“ rugosa . . . . .	20	1.25	8.00	
“ setigera . . . . .	15	1.25	7.00	
Rubus Canadensis, col . . . . .	10	.40	1.50	10.00
“ cuneifolius, coll . . . . .	10	.40	2.00	15.00
“ hispidus . . . . .	10	.60	2.00	
“ “ coll . . . . .		.50	1.50	7.50
“ odoratus . . . . .	20	.75	3.00	
“ “ col . . . . .		.50	2.00	15.00

All plants in this list are nursery-grown unless otherwise specified.

	EACH	10	100	1000
<i>Salix Britzensis</i> , 1 year . . . . .	10	.50	3.00	
<i>Sambucus Canadensis</i> , 3 to 5 feet . . . . .	20	.75	5.00	
<i>Sassafras</i> , 1 year, trans . . . . .	15	1.00	5.00	
"    col . . . . .		.50	3.00	25.00
<i>Smilax rotundifolium</i> , col . . . . .	15	.60	3.00	25.00
" <i>Walterii</i> , col . . . . .	25	1.00	6.00	
<i>Spiræa Anthony Waterer</i> , 2 to 3 feet . . . . .	25	1.75		
" <i>opulifolia</i> , 4 to 6 feet . . . . .	20	.75		
" <i>salicifolia</i> , 3 to 4 feet . . . . .	15	.60	3.50	
" <i>tomentosa</i> , 3 to 4 feet . . . . .	15	.60	2.50	20.00
"    col . . . . .		.60	2.00	15.00
" <i>alba</i> , 2 to 4 feet . . . . .	15	.60	3.00	
<i>Staphylea trifolia</i> , col . . . . .	15	.60	3.00	25.00
<i>Stephanandra flexuosa</i> . . . . .	15	1.25		
<i>Stuartia pentaginia</i> , 8 to 12 inch . . . . .	15	1.00	7.50	
<i>Symphoricarpus racemosa</i> , 2 to 3 feet . . . . .	15	.60	3.50	
" <i>vulgaris</i> , 3 to 4 feet . . . . .	15	.60	3.00	25.00
"    2 to 3 feet . . . . .	10	.50	2.00	20.00
<i>Syringa Persica</i> . . . . .	25			
<i>Tecoma radicans</i> . . . . .	10	.50	2.50	20.00
<i>Ulmus Americana</i> , 3 to 4 feet . . . . .	15	1.00	5.00	
<i>Vaccinium corymbosum</i> , 1 to 2 feet . . . . .	15	.80	6.00	
"    "    col . . . . .		.60	3.00	25.00
" <i>macrocarpon</i> , col . . . . .	10	.50	1.50	10.00
" <i>Pennsylvanicum</i> , col . . . . .		.60	3.00	25.00
" <i>stamineum</i> , 8 to 12 inch . . . . .	15	.80	6.00	
"    col . . . . .		.75	4.00	30.00
" <i>vacillans</i> , 6 to 12 inch . . . . .	10	.60	4.00	
"    col . . . . .		.60	2.00	15.00
<i>Viburnum acerifolium</i> , 1 to 2 feet . . . . .	15	1.00	10.00	
"    "    col . . . . .		.60	3.00	25.00
" <i>cassinoides</i> , 1 year, trans . . . . .	20	1.00	7.50	
" <i>dentatum</i> , 2 to 3 feet, trans . . . . .	25	1.50	10.00	
"    "    1 to 2 feet . . . . .		1.25	8.00	
"    col . . . . .		.60	4.00	35.00
" <i>nudum</i> , col . . . . .		.60	3.00	25.00
" <i>prunifolium</i> , 1 foot . . . . .	30	1.25		
"    col . . . . .		.80	5.00	
" <i>tomentosum</i> , 2 to 4 feet . . . . .	30	1.25		
<i>Virgilia lutea</i> , 6 to 10 inch . . . . .	15	1.00	6.00	
<i>Xanthoxylum Americanum</i> . . . . .	25	.80		
"    "    col . . . . .		.75	4.00	30.00
<i>Zanthoriza apiifolia</i> . . . . .	20	1.25	6.00	

## Coniferous Evergreens.

<i>Arborvitæ</i> , American, 1 to 4 feet . . . . .	15	.75		
"    Dwarf, 1 to 2 feet . . . . .	25	1.50		
Blue Fir, <i>Picea concolor</i> , 3 to 4 feet . . . . .	35	2.50		
Colorado Blue Spruce, seedlings, 1 to 2 feet . . . . .	35	2.50		
Douglas Fir, 2 to 3 feet . . . . .	25	2.50		
Norway Spruce, 2 to 4 feet . . . . .	15	1.00	7.00	
<i>Pinus strobus</i> , 2 to 4 feet . . . . .	25	1.50	10.00	
<i>Pinus rigida</i> , seedlings, col . . . . .		.50	1.50	12.00

All plants in this list are nursery-grown unless otherwise specified.





*Andromeda Mariana*